| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|--|------------------------|------------------|
| 1 | 2045 | | USPAT; | 2003/08/07 15:09 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 2 | 38691 | _ · | USPAT; | 2003/08/07 16:03 |
| | | recogn\$8 | US-PGPUB; | |
| | | | EPO; JPO; | |
| } | | | DERWENT; | |
| | | | IBM_TDB | |
| 3 | 256015 | weight and response | USPAT; | 2003/08/07 14:54 |
| 1 | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| 1 | | | DERWENT; | |
| | 750. | | IBM_TDB | |
| 4 | 7584 | quer\$4 and train\$6 | USPAT; | 2003/08/07 14:54 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 070 | | IBM_TDB | 2002/00/07 14 54 |
| 5 | 270 | ` · · · · · · · · · · · · · · · · · · | USPAT; | 2003/08/07 14:54 |
| | | train\$6) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| _ | 7. | //waisa am bandunité4 am assault sasua | IBM_TDB | 2002/00/02 14.55 |
| 6 | '4 | ((voice or handwrit\$4 or speech) near2 | USPAT; | 2003/08/07 14:55 |
| | | recogn\$8) and ((machine near2 learn\$4) | US-PGPUB; | |
| | | and (quer\$4 and train\$6)) | EPO; JPO; DERWENT; | |
| | | | | |
| 7 | 22 | (usight and response) and (//weige or | IBM_TDB USPAT; | 2003/08/07 15:08 |
| ' | 32 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | • | 2003/08/07 15:08 |
| | | handwrit\$4 or speech) near2 recogn\$8) and ((machine near2 learn\$4) and (quer\$4 and | US-PGPUB; EPO; JPO; | |
| | | train\$6))) | DERWENT; | |
| | | Claimyo/// | IBM TDB | |
| 9 | 4 | (multiple near (choice near quer\$4)) and | USPAT; | 2003/08/07 15:08 |
| " | 4 | internet | US-PGPUB; | 2003/00/07 13:00 |
| | | Internet | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 8 | 8 | multiple near (choice near quer\$4) | USPAT; | 2003/08/07 15:09 |
| * | J | marcipio modi (onoroo modi quoi 1) | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM TDB | |
| 10 | 0 | (machine near2 learn\$4) and (multiple | USPĀT; | 2003/08/07 15:09 |
| | | near (choice near quer\$4)) | US-PGPUB; | |
| | | | EPO; JPO; | |
|] | | | DERWENT; | |
| | | | IBM TDB | |
| 11 | 1794 | machine near learn\$4 | USPAT; | 2003/08/07 15:09 |
| | | | US-PGPUB; | |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| 12 | 851 | (machine near learn\$4) and train\$6 | USPĀT; | 2003/08/07 16:04 |
| | | | US-PGPUB; | |
| [| | | EPO; JPO; | |
| | | | DERWENT; | |
| [| | | IBM_TDB | |
| 13 | 192 | | USPAT; | 2003/08/07 15:19 |
| | | recogn\$8) and ((machine near learn\$4) and | US-PGPUB; | |
| | | train\$6 } | EPO; JPO; | |
|] | | | DERWENT; | |
| [| | l | IBM_TDB | |
| 14 | 185304 | reliab\$6 and weight\$6 | USPĀT; | 2003/08/07 15:11 |
| | | | US-PGPUB; | |
|] | | | EPO; JPO; | |
|] | | | DERWENT; | |
| L | | | IBM_TDB | |

| 15 | 58465 | reliab\$6 and weight\$6 and response | USPAT; US-PGPUB; EPO; JPO; | 2003/08/07 15:18 |
|----|--------|--|--|------------------|
| 16 | 50 | (((voice or handwrit\$4 or speech) near2 recogn\$8) and ((machine near learn\$4) and train\$6)) and (reliab\$6 and weight\$6 and response) | DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 15:12 |
| 17 | 28 | ((((voice or handwrit\$4 or speech) near2 recogn\$8) and ((machine near learn\$4) and train\$6)) and (reliab\$6 and weight\$6 and response)) and internet | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 15:19 |
| 18 | 229 | (machine near learn\$4) and (reliab\$6 and weight\$6 and response) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 15:18 |
| 19 | 131 | (((voice or handwrit\$4 or speech) near2 recogn\$8) and ((machine near learn\$4) and train\$6)) and database | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 15:20 |
| 20 | 67 | ((((voice or handwrit\$4 or speech) near2 recogn\$8) and ((machine near learn\$4) and train\$6)) and database) and internet | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 15:20 |
| 21 | 121 | ((((voice or handwrit\$4 or speech) near2 recogn\$8) and ((machine near learn\$4) and train\$6)) and database) and (internet or network\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 15:22 |
| 22 | 411376 | rul\$6 or question or quer\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 16:05 |
| 23 | 115 | (((((voice or handwrit\$4 or speech) near2 recogn\$8) and ((machine near learn\$4) and train\$6)) and database) and (internet or network\$4)) and (rul\$6 or question or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 15:26 |
| 24 | 7824 | quer\$6) train\$6 near (process or procedure or method) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 15:26 |
| 25 | 59 | recogn\$8) and ((machine near learn\$4) and train\$6)) and database) and (internet or network\$4)) and (rul\$6 or question or quer\$6)) and (train\$6 near (process or | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/07 15:26 |
| 26 | 1230 | procedure or method)) ((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 16:04 |
| 27 | 939 | (machine near2 learn\$4) and train\$6 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 16:05 |
| 28 | 28 | (((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8) and ((machine near2 learn\$4) and train\$6) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 16:10 |

| 29 | 35065 | (rul\$6 and (question or quer\$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 16:06 |
|----|--------|--|--|------------------|
| 30 | 15 | <pre>(reliab\$6 and weight\$6 and response) and ((((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8) and ((machine near2 learn\$4) and train\$6))</pre> | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 16:06 |
| 31 | 13 | <pre>((((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8) and ((machine near2 learn\$4) and train\$6)) not ((reliab\$6 and weight\$6 and response) and (((voice or speech or speak or spok\$4) and handwrit\$4) near2 recogn\$8) and ((machine near2 learn\$4) and train\$6)))</pre> | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/07 16:10 |
| _ | 201 | (706/10).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/06/25 19:19 |
| - | 1231 | machine near learn\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/07 14:53 |
| - | 37511 | quer\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/07 14:54 |
| - | 33111 | train\$4 and network | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/01/24 17:16 |
| _ | 49673 | (voice or handwrit\$4) and recogni\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 14:53 |
| - | 1298 | (voice and handwrit\$4) and recogni\$6 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2002/06/25 19:21 |
| - | 215114 | weight and response | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2003/08/07 14:54 |
| _ | 199 | (machine near learn\$4) and quer\$4 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/06/25 19:22 |
| | 96 | ((machine near learn\$4) and quer\$4) and (train\$4 and network) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/06/25 19:26 |
| - | 0 | <pre>(weight and response) and (((voice and handwrit\$4) and recogni\$6) and (((machine near learn\$4) and quer\$4) and (train\$4 and network)))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2002/06/25 19:22 |

| - | 5 | ((voice and handwrit\$4) and recogni\$6) and (((machine near learn\$4) and quer\$4) and | USPAT; US-PGPUB; | 2002/06/25 19:22 |
|---|------|---|------------------------------------|------------------|
| | | (train\$4 and network)) | EPO; JPO; DERWENT; | |
| - | 91 | (((machine near learn\$4) and quer\$4) and (train\$4 and network)) not (((voice and | IBM_TDB USPAT; US-PGPUB; | 2002/06/26 12:02 |
| | | handwrit\$4) and recogni\$6) and (((machine near learn\$4) and quer\$4) and (train\$4 and | EPO; JPO; DERWENT; | |
| _ | 436 | network))) (706/45).CCLS. | IBM_TDB USPAT; | 2002/06/26 12:03 |
| | | | US-PGPUB; EPO; JPO; DERWENT; | |
| - | 177 | (706/50).CCLS. | IBM_TDB USPAT; US-PGPUB; | 2002/06/26 12:03 |
| | | | EPO; JPO; DERWENT; | |
| - | 1485 | machine near learn\$4 | IBM_TDB USPAT; US-PGPUB; | 2003/01/21 12:40 |
| | | | EPO; JPO; DERWENT; | |
| - | 5884 | train\$4 and quer\$4 | IBM_TDB USPAT; US-PGPUB; | 2003/01/21 12:41 |
| | | | EPO; JPO; DERWENT; IBM TDB | |
| - | 194 | (machine near learn\$4) and (train\$4 and quer\$4) | USPĀT; US-PGPUB; | 2003/01/21 12:41 |
| | | | EPO; JPO; DERWENT; IBM TDB | |
| - | 117 | ((machine near learn\$4) and (train\$4 and quer\$4)) and recognition | USPĀT; US-PGPUB; | 2003/01/21 12:42 |
| | | | EPO; JPO; DERWENT; IBM_TDB | |
| - | 1495 | machine near learn\$4 | USPĀT; US-PGPUB; EPO; JPO; | 2003/01/24 17:16 |
| | | | DERWENT; IBM TDB | |
| - | 4238 | train\$4 and network and quer\$4 | USPĀT; US-PGPUB; EPO; JPO; | 2003/01/24 17:16 |
| | 176 | (machine pear learned) and (trained) | DERWENT; IBM_TDB | 2002/01/24 17.27 |
| | 1/6 | (machine near learn\$4) and (train\$4 and network and quer\$4) | USPAT; US-PGPUB; EPO; JPO; | 2003/01/24 17:37 |
| _ | 129 | ((machine near learn\$4) and (train\$4 and | DERWENT; IBM_TDB USPAT; | 2003/01/24 17:37 |
| | | network and quer\$4)) and response | US-PGPUB; EPO; JPO; | |
| _ | 82 | (((machine near learn\$4) and (train\$4 and | DERWENT; IBM_TDB USPAT; | 2003/01/24 17:37 |
| | | network and quer\$4)) and response) and recognition | US-PGPUB; EPO; JPO; DERWENT; | |
| | | | IBM TDB | |



IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



| Membership | Publications/Services | Standards | Conferences | Careers/Jobs |
|--|-----------------------|-----------|-------------|--------------|
| A CONTRACTOR OF THE PARTY OF TH | 0.00 | | | |

IEEE Xplore®

Welcome
United States Patent and Trademark Office

<u>Help FAQ Terms IEEE Peer</u> <u>Review</u>

Quick Links

» Search Results

Welcome to IEEE Xplore

O- Home

O- What Can I Access?

O- Log-out

Tables of Contents

O- Journals & Magazines

O- Conference Proceedings

O- Standards

Search

O- By Author

O- Advanced

Member Services

O- Join IEEE
O- Establish IEEE
Web Account

O- Access the IEEE Member Digital Library

🖴 Print Format

Your search matched 21 of 959708 documents.

Results are shown 15 to a page, sorted by publication year in descending order.

Results:

Journal or Magazine = JNL Conference = CNF Standard = STD

1 Upgrade of the JET neutral beam heating system

Ciric, D.; Jones, T.T.C.; Edwards, D.C.; Martin, D.; Bickley, A.J.; Brown, D.P.D.; Cox, S.J.; Dines, A.J.; Dobbing, J.A.; Milnes, J.J.; Shaw, S.R.; Stork, D.; Surrey, E.; Watson, M.J.; Young, D.; Young, I.D.; Bayetti, P.; Doncel, J.; Fusion Engineering, 2002. 19th Symposium on , 21-25 Jan. 2002 Page(s): 140-143

[Abstract] [PDF Full-Text (355 KB)] IEEE CNF

2 An architecture supporting the collection and monitoring of data openly contributed over the World Wide Web

Stork, D.G.;

Enabling Technologies: Infrastructure for Collaborative Enterprises, 2001. WET ICE 2001. Proceedings. Tenth IEEE International Workshops on , 20-22 June 2001

Page(s): 380 -385

[Abstract] [PDF Full-Text (392 KB)] IEEE CNF

3 Block color quantization: a new method for color halftoning

Gupta, M.; Gormish, M.; Stork, D.G.;

Image Processing, 2000. Proceedings. 2000 International Conference on ,

Volume: 3, 10-13 Sept. 2000 Page(s): 460 -463 vol.3

[Abstract] [PDF Full-Text (304 KB)] IEEE CNF

4 Character and document research in the Open Mind Initiative

Stork, D.G.;

Document Analysis and Recognition, 1999. ICDAR '99. Proceedings of the Fifth International Conference on , 20-22 Sept. 1999

Page(s): 1 -12

[Abstract] [PDF Full-Text (220 KB)] IEEE CNF

5 Building intelligent systems one e-citizen at a time

Hearst, M.A.; Hunson, R.D.; Stork, D.G.;

Intelligent Systems, IEEE [see also IEEE Expert], Volume: 14 Issue: 3, May-June

1999

Page(s): 16 -20

[Abstract] [PDF Full-Text (856 KB)] IEEE JNL

6 JET engineering development towards D-T operations in an ITER-like machine configuration

Stork, D.;

Fusion Engineering, 1997. 17th IEEE/NPSS Symposium, Volume: 1, 6-10 Oct.

1997

Page(s): 70 -80 vol.1

[Abstract] [PDF Full-Text (964 KB)] IEEE CNF

7 Pruning Boltzmann networks and hidden Markov models

Pedersen, M.W.; Stork, D.G.;

Signals, Systems and Computers, 1996. 1996 Conference Record of the Thirtieth

Asilomar Conference on , Volume: 1 , 3-6 Nov. 1996

Page(s): 258 -261 vol.1



[Abstract] [PDF Full-Text (388 KB)] IEEE CNF

8 Speechreading: an overview of image processing, feature extraction, sensory integration and pattern recognition techniques

Stork, D.G.; Hennecke, M.E.;

Automatic Face and Gesture Recognition, 1996., Proceedings of the Second International Conference on , 14-16 Oct. 1996

Page(s): XVI -XXVI

[Abstract] [PDF Full-Text (1016 KB)] IEEE CNF

9 Automatic speech recognition system using acoustic and visual signals

Hennecke, M.E.; Prasad, K.V.; Stork, D.G.;

Signals, Systems and Computers, 1995. 1995 Conference Record of the Twenty-Ninth Asilomar Conference on , Volume: 2 , 30 Oct.-2 Nov. 1995

Page(s): 1214 -1218 vol.2

[Abstract] [PDF Full-Text (440 KB)] IEEE CNF

10 Optimizing bit-plane context-dependent entropy coding for palettized images

Zandi, A.; Stork, D.G.; Allen, J.D.;

Image Processing, 1995. Proceedings., International Conference on , Volume: $\boldsymbol{1}$,

23-26 Oct. 1995

Page(s): 270 -273 vol.1

[Abstract] [PDF Full-Text (232 KB)] IEEE CNF

11 Using deformable templates to infer visual speech dynamics

Hennecke, M.E.; Prasad, K.V.; Stork, D.G.;

Signals, Systems and Computers, 1994. 1994 Conference Record of the Twenty-Eighth Asllomar Conference on , Volume: 1 , 31 Oct.-2 Nov. 1994

Page(s): 578 -582 vol.1

[Abstract] [PDF Full-Text (392 KB)] IEEE CNF

12 A Digital Neural Network VLSI With On-chip Learning Using Stochastic Pulse Encoding

Oteki, S.; Hashimoto, A.; Furuta, T.; Motornura, S.; Watanabe, T.; Stork, D.G.;

Eguchi, H.;

Neural Networks, 1993. IJCNN '93-Nagoya. Proceedings of 1993 International

Joint Conference on , Volume: 3 , October 25-29, 1993

Page(s): 3039 -3045

[Abstract] [PDF Full-Text (512 KB)] IEEE CNF

13 Optimal Brain Surgeon and general network pruning

Hassibi, B.; Stork, D.G.; Wolff, G.J.;

Neural Networks, 1993., IEEE International Conference on , 28 March-1 April

1993

Page(s): 293 -299 vol.1

[Abstract] [PDF Full-Text (528 KB)] IEEE CNF

14 Precision analysis of stochastic pulse encoding algorithms for neural networks

Eguchi, H.; Stork, D.G.; Wolff, G.;

Neural Networks, 1992. IJCNN., International Joint Conference on , Volume: ${\bf 1}$,

7-11 June 1992

Page(s): 395 -400 vol.1

[Abstract] [PDF Full-Text (364 KB)] IEEE CNF

15 Neural network lipreading system for improved speech recognition

Stork, D.G.; Wolff, G.; Levine, E.;

Neural Networks, 1992. IJCNN., International Joint Conference on , Volume: 2 ,

7-11 June 1992

Page(s): 289 -295 vol.2

[Abstract] [PDF Full-Text (696 KB)] IEEE CNF





Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE — All rights reserved



(1994) (Make Corrections) (23 citations)
Marcus E. Hennecke, K. Venkatesh Prasad, David G. Stork

CiteSeer Home/Search Context Related

View or download:

ricoh.com/pub/LipT...asilomar1994.ps.gz
Cached:
PS.gz PS PDF DiVu Image Update Help

From: ricoh.com/pub/pub.speech (more)
Homepages: M.Hennecke D.Stork
HPSearch (Update Links)

Rate this article: 1 2 3 4 5 (best)

Comment on this article

(Enter summary)

Abstract: The visual image of a talker provides information complementary to the acoustic speech waveform, and enables improved recognition accuracy, especially in environments corrupted by high acoustic noise or multiple talkers. Because most of the phonologically relevant visual information is from the mouth and lips, it is important to infer accurately and robustly their dynamics; moreover it is desirable to extract this information without the use of invasive markers or patterned illumination. We... (Update)

Context of citations to this paper: More

.... This is an even more difficult task for pixel based systems, but the use of e.g. active shape models [11] or deformable templates [9, 10] to track the lip contours removes the possibility of learning any other visual cues that may be significant. The one dimensional...

.... stage should reduce the the visual input to the least amount of hand crafted features as possible, such as deformable templates [13]. This type of approach has the advantage that the number of visual inputs are drastically reduced potential speeding up subsequent...

Cited by: More

Lip Feature Extraction Using Red Exclusion - Trent Lewis David (Correct)
Audio-Visual Speech Recognition using - Red Exclusion And (Correct)

A Multiple Deformable Template Approach For Visual Speech. - Chandramohan, Silsbee (1996) (Correct)

Active bibliography (related documents): More All

- 0.2: Visual Speech And Speaker Recognition Lüttin (1997) (Correct)
- 0.2: Automatic Speech Recognition System Using Acoustic and.. Hennecke, Prasad, Stork (1995) (Correct)
- 0.2: Probabilistic Models of Verbal and Body Gestures Bregler, Omohundro, al. (1995) (Correct)

Users who viewed this document also viewed: More All

- 0.1: A Survey on Content based video retrieval Yongsheng, Ming (Correct)
- 0.1: Object Representation for Recognition-by-Alignment Stockman (Correct)
- 0.1: Spatio-Temporal Indexing for Large Multimedia Applications Theodoridis, Sellis (1996) (Correct)

Similar documents based on text: More All

- 1.0: RICOH Silicon Valley, Inc. Sand Hill Road (Correct)
- 0.5: Second Order Derivatives for Network Pruning: Optimal Brain.. Hassibi, Stork (1993) (Correct)
- 0.5: Preprocessing Video Images for Neural Learning of Lipreading Venkatesh Prasad (Correct)

Related documents from co-citation: More All

- 12: Feature extraction from faces using deformable templates (context) Yuille, Hallinan et al. 1992
- 11: Snakes: active contour models (context) Kass, Witkin et al. 1987
- 8: Surface learning with applications to lipreading Bregler, Omohundro 1994

BibTeX entry: (Update)

M.E. Hennecke, K.V. Prasad & D.G. Stork, "Using Deformable Templates to infer visual Speech Dynamics. ", Asimolar 94, 5p, Nov. 1994, CA http://citeseer.nj.nec.com/hennecke94using.html More

```
@misc{ hennecke94using,
```

```
author = "M. Hennecke and K. Prasad and D. Stork",
title = "Using Deformable Templates to infer visual Speech Dynamics",
text = "M.E. Hennecke, K.V. Prasad & D.G. Stork, Using Deformable Templates to
infer visual Speech Dynamics. , Asimolar 94, 5p, Nov. 1994, CA",
```


year = "1994",url = "citeseer.nj.nec.com/hennecke94using.html" }

Citations (may not include all citations):

. . .

1052 Snakes: Active contour models (context) - Kass, Witkin et al. - 1988

- 211 Feature extraction from faces using deformable templates (context) Yuille, Cohen et al. 1989
- 36 Neural network lipreading system for improved speech recogni.. (context) Stork, Wolff et al. 1992
- 29 An improved automatic lipreading system to enhance speech re.. (context) Petajan, Bischoff et al. 1988
- 25 Lip reading: Automatic visual recognition of spoken words (context) Pentland, Mase 1989
- 20 Neural network models of sensory integration for improved vo.. (context) Yuhas, Goldstein et al. 1988
- 8 Lipreading by neural networks: Visual preprocessing, learnin.. (context) Wolff, Prasad et al. 1994



The graph only includes citing articles where the year of publication is known.

Documents on the same site (http://www.crc.ricoh.com/pub/pub.speech.html):

Visual Passwords: Spatiotemporal Cues for Speaker Recognition - Prasad (Correct)

Automatic Speech Recognition System Using Acoustic and.. - Hennecke, Prasad, Stork (1995) (Correct)

Online articles have much greater impact More about CiteSeer Add search form to your site Submit documents Feedback

. ()

CiteSeer Home Check: The following citations are predicted to all refer to the same paper. Details

K.V. Prasad, D.G. Stork, and G.J. Wolff. *Preprocessing video images for neural learning of lipreading*. Ricoh California Research Center, Technical Report CRCTR -93-25.

Prasad, K., Stork, D., and Wolff, G., "Preprocessing video images for neural learning of lipreading," Technical Report CRCTR -9326, Ricoh California Research Center, September 1993.

K.V. Prasad, D.G. Stork and G.J. Wolff, *Preprocessing video images for neural learning of lipreading.* -- In SPIE Proc. Substance Identification Analytics,

K. Prasad, D. Stork, and G. Wolff. *Preprocessing video images for neural learning of lipreading*. Technical Report CRC-TR-93-26, Ricoh California Research Center, 1993.

Prasad, K., Stork, D., and Wolff, G. (1993) *Preprocessing video images for neural learning of lipreading.* Technical Report CRC-TR-93-26, Ricoh California Research Center



Searching for stork and recognition.

Restrict to: <u>Header Title</u> Order by: <u>Citations Hubs Usage Date</u> Try: <u>Amazon B&N Google (RI)</u>

Google (Web) CSB DBLP

28 documents found. Order: citations weighted by year.

"Eigenlips" for Robust Speech Recognition - Bregler, König (1994) (Correct) (28 citations) images for vowel discrimination. Wolff, Prasad, **Stork**, and Hennecke [13] are using a modified TDNN for 1, MIT 1991. 13] G.J. Wolff, K.V. Prasad, D.G. **Stork**, and M.Hennecke Lipreading by Neural Networks: "eigenlips" For Robust Speech **Recognition** Christoph Bregler y And Yochai Konig www.cs.berkeley.edu/~bregler/icassp94_bregler_konig.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try <u>Google</u> (RI).

<u>Using Deformable Templates to Infer Visual Speech Dynamics - Hennecke, Prasad, Stork (1994) (Correct)</u> (22 citations)

Marcus E. Hennecke K. Venkatesh Prasad David G. **Stork** Dept. of Electrical Engineering Ricoh California marcush@leland.stanford.edu prasad@crc.ricoh.com **stork**@crc.ricoh.com Abstract The visual image of a acoustic speech waveform, and enables improved **recognition** accuracy, especially in environments corrupted ftp.crc.ricoh.com/pub/LipTechRep/asilomar1994.ps.gz

<u>Transformation Invariant Autoassociation with Application to ... - Schwenk, Milgram (1995) (Correct) (9 citations)</u>

Like reported in (Simard, 1994) and (Sperdutti and **Stork**, 1995) important improvements are possible, but pp. 50-58, Morgan Kaufmann. A. Sperdutti and D.G. **Stork** (1995)A rapid graph-based method for arbitrary with Application to Handwritten Character **Recognition** Holger Schwenk Maurice Milgram PARC www.limsi.fr/Individu/schwenk/Research/../Papers.A4/nips7.ps.gz

Speaker Independent Audio-Visual Database For Bimodal ASR - Potamianos, Cosatto, Graf.. (1997) (Correct) (5 citations)

i.e.lip-reading,orspeech-reading #Petajan, 1984 Stork and Hennecke, 1996#In many cases, and community wish list #Chibelushi et al.1996 Stork and Hennecke, 1996#In this paper we describe Labs#Research for the study of bimodal speech recognition. To date, this database consists of www.research.ibm.com/AVSTG/AVSP97_DATABASE.pdf

<u>Speaker Independent Audio-Visual Database For Bimodal Asr - Potamianos, Cosatto, Graf. (1997)</u> (Correct) (5 citations)

lip-reading, or speech-reading (Petajan, 1984 **Stork** and Hennecke, 1996)In many cases, and community wish list (Chibelushi et al.1996 **Stork** and Hennecke, 1996)In this paper we describe Labs-Research for the study of bimodal speech **recognition**. To date, this database consists of two www.research.att.com/~makis/paper_AVSP_97.ps

Fast Matching of a Dynamic Lip Model to Color Video Sequences...- Vogt (1996) (Correct) (7 citations) And Machines, Nato Asi Series F, Vol. 150, D.g. Stork, M.e. Hennecke (eds.Pp. 399-407, 1996 Fast have been proposed (e.g. Hennecke, Prasad, and Stork (1994)Rao and Mersereau (1994)Guiard-Marigny, be applied to obtain significant features for **recognition**. Keywords. lip model, color, template www.informatik.uni-stuttgart.de/ipvr/bv/publikationen/vogt_asi_95.ps.gz

Multimodal Interfaces - Waibel, Vo, Duchnowski, Manke (1995) (Correct) (7 citations) performance drop in purely acoustic **recognition**. Stork et al. 27] measured the position of ten Speech **Recognition**. In Proc. ICASSP'92. 27] D.G. **Stork**, Greg Wolff, and E. Levine. Neural network Motion and Facial Expression, Handwriting, Face **Recognition**, Face Tracking, and Sound Localization. 1. tink.boltz.cs.cmu.edu/papers/multimodal/95.aij.ps.gz

<u>Lip Modeling for Visual Speech Recognition - Ram Rao (1994) (Correct) (6 citations)</u> acoustic noise. Work by Finn and Montgomery [1] and **Stork**, Wolff, and Levine [2] has shown that the feature extraction has been proposed by Prasad, **Stork** and Wolff [3]In this paper, we will outline a

. ()





Lip Modeling for Visual Speech **Recognition** Ram R. Rao Russell M. Mersereau School of users.ece.gatech.edu/users/rr/papers/asil94.ps.Z

An Interface for Melody Input - Prechelt, Typke (1998) (Correct) (1 citation) by using additional techniques like lip-reading [Stork and Hennecke 1996] have been under way for some of Artificial Intelligence Tools 6, 2, 193-209. Stork, D. G. and Hennecke, M. E. 1996. Speechreading: a database of approximately 10,000 motifs. Tune recognition is based on a highly error-resistant encoding,

wwwipd.ira.uka.de/~prechelt/Biblio/Biblio/tuneserver_tochi2001.ps.gz

Preprocessing Video Images for Neural Learning of Lipreading - Venkatesh Prasad (Correct) (5 citations) of lipreading K. Venkatesh Prasad, David G. **Stork**, Gregory J. Wolff Machine Learning and We build upon the basic architectural recognizer of **Stork**, Wolff and Levine [8]but extend it to grayscale both visual and acoustic information for speech **recognition**, the visual features employed are sufficiently mambo.ucsc.edu/psl/tr93-26.ps

The Baldwin Effect in the Immune System: Learning by.. - Hightower, Forrest, al. (Correct) (4 citations) is more similar to the experiments of Keesing and Stork [3] than the Hinton and Nowlan experiment [2] given a task with finite difficulty. Keesing and Stork [3] demonstrated a similar effect with a neural and thereby lead to their elimination. Antigen recognition is essentially a form of template ftp.cs.unm.edu/pub/forrest/baldwin.ps.gz

Modularity and Catastrophic Fusion: A Bayesian Approach with .. - Movellan, Mineiro (1996) (Correct) (1 citation)

Tamura, Mitsumoto, Kawai, Kurosu &Okazaki, 1991 **Stork**, Wolff &Levine, 1992 Bregler, Manke &Waibel, Bregler, Omohundro &Konig, 1994 Wolff, Prasad, **Stork** &Hennecke, 1994 Hennecke, Prasad &**Stork**, 1994 Approach with Applications to Audiovisual Speech **Recognition** Javier R. Movellan &Paul Mineiro Department cogsci.ucsd.edu/pub/tr/97.01.ps.Z

<u>Tahuti: A Geometrical Sketch Recognition System for UML Class ... - Hammond, Davis (2002) (Correct)</u> system of **recognition**. Bimber, Encarnacao, and **Stork** created a multilayer architecture for sketch for sketch **recognition** (Bimber, Encarnacao, **Stork** 2000) of three-dimensional sketches. Their system Tahuti: A Geometrical Sketch **Recognition** System for UML Class Diagrams Tracy Hammond fracas.ai.mit.edu/drg/pubs/hammond/SSS902Hammond.ps

Efficient Evaluation of Classification and Recognition Systems - Micheals, Boult (2001) (Correct) evaluation as outlined by [8]Duda, Hart, and **Stork** suggest a cross-validation style of evaluation. 1977. 8] R. O. Duda, P. E. Hart, and D. G. **Stork**. Pattern Classification. John Wiley &Sons, Efficient Evaluation of Classification and **Recognition** Systems Ross J. Micheals Terrance E. Boult www.cse.lehigh.edu/~vast/FLEX/Micheals-Boult-TR-02.pdf

Bibliography File: Vision - Reddy (1996) (Correct)

Psychology, 45:572-576, 1989. 72] David G. **Stork** and Hugh R. Wilson. Do Gabor Functions Provide 1968. 80] A. B. Watson. Detection and **Recognition** of Simple Spatial Forms. In O. J. Braddick and 2031, October 1990. 4] I. Biederman. **Recognition** by Components: A Theory of Human Image www.dcs.ed.ac.uk/home/mxr/biblio/Vision.ps.gz

Optimal Weigthing Of Posteriors For Audio-Visual Speech.. - Martin Heckmann Fr (Correct)
Boundary Conditions to the Fusion Process Massaro&Stork [6] and Movellan&Challderon [7] gave evidence Machine: Models, Systems And Applications, D.g. Stork And M.e. Hennecke, Eds.Berlin, 1996, Nato Asi Weigthing Of Posteriors For Audio-Visual Speech Recognition Martin Heckmann Fr Ed Eric www.dcs.shef.ac.uk/research/groups/spandh/projects/respite/publications/heckmann_icassp_01.ps.gz

G-Prop: Global Optimization of Multilayer Perceptrons ... - Castillo, Merelo.. (2000) (Correct) encoding (Schraudolph and Belew [27]Keesing and Stork [28] proposed a method that combines a GA and rate of evolution, as it is proposed by Keesing and Stork [28]Finally, the presented algorithm will be used in many elds, especially for pattern recognition, due to its learning ability, it does geneura.ugr.es/pub/papers/castilloNC.ps.gz

Let Your Hands Talk - Gestures as a Means of Interaction - Machate, Schröter (Correct)

46



with any other human (Adams 1979, Negroponte 1995, Stork 1997)Of course, nowadays the situation is 1995, Dieter W. Fellner, ISBN 3-929037-98-X. Stork, David G. Ed.1997)HAL's Legacy: 2001's 1991)At the end of the nineties, speech recognition and machine translation seem to have made www.swt.iao.fhg.de/home/publications/hci99-2.pdf

Choosing an Optimal Neural Network Size to Aid a Search.. - Messer And Kittler (1998) (Correct) network weights. This was modified by Hassibi and Stork [3] in the Optimal Brain Surgeon such that it did volume 2, pages 524-532, 1990. 3] B Hassibi and D Stork. Second order derivatives for pruning: optimal a neural network architecture for pattern recognition tasks is presented. We demonstrate that our www.bmva.ac.uk/bmvc/1998/bmvc98/../pdf/p105.pdf

First 20 documents Next 20

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP



IEEE HOME ! SEARCH IEEE ! SHOP ! WEB ACCOUNT ! CONTACT IEEE



| Presumer auch | PODISCALIGIST/SETVICES 3001 |
|---------------|-----------------------------|
| JEE | E Xplore® |

ndards Conferences Careers/Jobs

Welcome United States Patent and Trademark Office

| 4 | ㅋㅋ | αX | lor | e _e |
|-------|----|------|---------|----------------|
| ~ | | - 10 | RELEASE | 1.5 |
| | | | _ | |

Help FAQ Terms IEEE Peer Review

Quick Links

» Search Results

Wetcome to IEEE Xplore

O- Home

O- What Can I Access?

Your search matched 30 of 959708 documents.

A maximum of 30 results are displayed, 15 to a page, sorted by Relevance in descending order.

You may refine your search by editing the current search expression or entering a new one the text box.

O- Log-out Tables of Contents

O- Journals & Magazines

O- Conference Proceedings

((machine <near> learning)and (recognize or recognize of recognize)

Then click Search Again.

O- Standards

Results:

Journal or Magazine = JNL Conference = CNF 'Standard = STD

O- By Author O- Basic

1 An advanced system to generate pronunciations of proper nouns

Deshmukh, N.; Ngan, J.; Hamaker, J.; Picone, J.;

Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE International Conference on , Volume: 2 , 21-24 April 1997

Page(s): 1467 -1470 vol.2

O- Advanced Member Services

O- Join IEEE O- Establish IEEE Web Account

O- Access the IEEE Member Digital Library

🗠 Print Format

[Abstract] [PDF Full-Text (348 KB)] IEEE CNF

2 ID3-derived fuzzy rules and optimized defuzzification for handwritten numeral recognition

Zheru Chi; Hong Yan;

Fuzzy Systems, IEEE Transactions on , Volume: 4 Issue: 1 , Feb. 1996

Page(s): 24 -31

[Abstract] [PDF Full-Text (808 KB)] IEEE JNL

3 Hierarchical discriminant analysis for image retrieval

Swets, D.L.; Juyang Weng;

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 21

Issue: 5, May 1999 Page(s): 386 -401

[Abstract] [PDF Full-Text (1240 KB)] IEEE JNL

4 Face recognition with support vector machines: global versus component-based approach

Heisele, B.; Ho, P.; Poggio, T.;

Computer Vision, 2001. ICCV 2001. Proceedings. Eighth IEEE International

Conference on , Volume: 2 , 7-14 July 2001

Page(s): 688 -694 vol.2

[Abstract] [PDF Full-Text (820 KB)] IEEE CNF

5 Face detection based on hierarchical support vector machines

Yong Ma; Xiaoqing Ding;

Pattern Recognition, 2002. Proceedings. 16th International Conference on .

Volume: 1 , 11-15 Aug. 2002 Page(s): 222 -225 vol.1

[Abstract] [PDF Full-Text (363 KB)] IEEE CNF

6 Using stochastic grammars for modelling and recognising cursive script

Lucas, S.M.; Damper, R.I.;

Character Recognition and Applications, IEE Colloquium on , 2 Oct 1989

Page(s): 3/1 -3/4



[Abstract] [PDF Full-Text (176 KB)] IEE CNF

7 A fast and robust algorithm for face detection and localization

Wei Wang; Yongsheng Gao; Siu Chueng Hui; Karhang Leung; Neural Information Processing, 2002. ICONIP '02. Proceedings of the 9th

International Conference on , Volume: 4 , 18-22 Nov. 2002

Page(s): 2118 -2121 vol.4

[Abstract] [PDF Full-Text (365 KB)] IEEE CNF

8 ARTMAP: supervised real-time learning and classification of nonstationary data by a self-organizing neural network

Carpenter, G.A.; Grossberg, S.; Reynolds, J.H.;

Neural Networks for Ocean Engineering, 1991., IEEE Conference on , 15-17 Aug.

Page(s): 341 -342

[Abstract] [PDF Full-Text (84 KB)] IEEE CNF

9 ARTMAP: a self-organizing neural network architecture for fast supervised learning and pattern recognition

Carpenter, G.A.; Grossberg, S.; Reynolds, J.;

Neural Networks, 1991., IJCNN-91-Seattle International Joint Conference on,

Volume: i , 8-14 July 1991 Page(s): 863 -868 vol.1

[Abstract] [PDF Full-Text (412 KB)] IEEE CNF

10 Using machine learning for content-based image retrieving

Demsar, J.; Solina, F.;

Pattern Recognition, 1996., Proceedings of the 13th International Conference on,

Volume: 3, 25-29 Aug. 1996 Page(s): 138 -142 vol.4

[Abstract] [PDF Full-Text (456 KB)] IEEE CNF

11 Data analysis using artificial immune systems, cluster analysis and Kohonen networks: some comparisons

Timmis, J.; Neal, M.; Hunt, J.;

Systems, Man, and Cybernetics, 1999. IEEE SMC '99 Conference Proceedings.

1999 IEEE International Conference on , Volume: 3 , 12-15 Oct. 1999

Page(s): 922 -927 vol.3

[Abstract] [PDF Full-Text (584 KB)] IEEE CNF

12 Learning support vectors for face verification and recognition

Jonsson, K.; Matas, J.; Kittler, J.; Li, Y.P.;

Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE

International Conference on , 28-30 March 2000

Page(s): 208 -213

[Abstract] [PDF Full-Text (120 KB)] IEEE CNF

13 Data condensation in large databases by incremental learning with support vector machines

Mitra, P.; Murthy, C.A.; Pal, S.K.;

Pattern Recognition, 2000. Proceedings. 15th International Conference on,

Volume: 2, 3-7 Sept 2000 Page(s): 708 -711 vol.2

[Abstract] [PDF Full-Text (324 KB)] IEEE CNF



14 A multi-net local learning framework for pattern recognition

Jian-xiong Dong; Krzyzak, A.; Suen, C.Y.;

Document Analysis and Recognition, 2001. Proceedings. Sixth International

Conference on , 10-13 Sept. 2001

Page(s): 328 -332

[Abstract] [PDF Full-Text (376 KB)] IEEE CNF

15 Hybrid approach of video indexing and machine learning for rapid indexing and highly precise object recognition

Tsutsumi, F.; Nakajima, C.;

Image Processing, 2001. Proceedings. 2001 International Conference on,

Volume: 2 , 7-10 Oct. 2001 Page(s): 645 -648 vol.2

[Abstract] [PDF Full-Text (312 KB)] IEEE CNF

1 <u>2</u> [Next]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE --- All rights reserved




url = "citeseer.nj.nec.com/bregler94eigenlips.html" }

Citations (may not include all citations):

1052 SNAKES: Active Contour Models (context) - Kass, Witkin et al. - 1987

- 65 Deformable Templates for Face Recognition (context) Yuille 1991
- 48 Surface Learning with Applications to Lip-Reading Bregler, Omohundro 1994
- 35 Improving Connected Letter Recognition by Lipreading (context) Bregler, Hild et al. 1993
- 29 An Improved Automatic Lipreading System to enhance Speech Re.. (context) Petahan, Bischoff et al. -1988
- 29 Connectionist Speech Recognition (context) Bourlard, Morgan 1993
- 25 LIP READING: Automatic Visual Recognition of Spoken Words (context) Mase, Pentland 1989
- 24 RASTA-PLP speech Analysis Technique (context) Hermansky, Morgan et al. 1992
- 22 Integration of Acoustic and Visual Speech Signals using Neur.. (context) Yuhas, Goldstein et al.
- 15 Continuous Automatic Speech Recognition by Lipreading (context) Goldschen 1993
- 10 Hearing by Eye: The Psychology of Lipreading (context) Dodd, Campbell 1987
- 5 Evaluation and Integration of Visual and Auditory informatio.. (context) Massaro, Cohen 1983
- 1 HiradaTechnika (context) Benoit, Bimodality et al. 1992
- 1 Pentland Eigenfaces for Recognition Journal of Cognitive Neu., (context) Turk 1991
- 1 Hennecke Lipreading by Neural Networks: Visual Preprocessing (context) Wolff, Prasad et al. 1994



The graph only includes citing articles where the year of publication is known.

Documents on the same site (http://www.cs.berkeley.edu/~bregler/pubs.html): More
Learning and Recognizing Human Dynamics in Video Sequences - Bregler (1997) (Correct)
Improving Connected Letter . . . - Bregler, al. (Correct)
Tracking People with Twists and Exponential Maps - Bregler, Malik (1998) (Correct)

Online articles have much greater impact More about CiteSeer Add search form to your site Submit documents Feedback